





# EWP+

#### IIA V7.0 Test Cases

**Document Title** Erasmus Without Paper Plus

IIA V7.0 Test Cases

**Version** Final

Status Eligible for V7.0

**Author(s)** EWP+

**Partner A** AUTh (Test HEI id: uni-foundation.eu)

**Partner B** Miguel Hernández University of Elche (Test HEI id: umh.es)

**Date(s) of Testing** 20/02/24 to 28/02/24

Both parties confirm the testing results apply to the production environment that is used by all their universities/clients.

Partner A Signature

Partner B Signature





#### 1. IIA APIS

#### 1. APIs Available of Partner A

Please select which APIs and which versions you have available at the moment of the testing:

API	Available?	If yes, specify the version
IIA List	YES	7.0.0.
IIA Get	YES	7.0.0.
IIA CNR	YES	3.0.0.
IIA Approval	YES	2.0.0.
IIA Approval CNR	YES	2.0.0.



#### 2. APIs Available of Partner B

Please select which APIs and which versions you have available at the moment of the testing:

API	Available?	If yes, specify the version
IIA List	YES	7.0.0.
IIA Get	YES	7.0.0.
IIA CNR	YES	3.0.0.
IIA Approval	YES	2.0.0.
IIA Approval CNR	YES	2.0.0.



#### 2. IIA TEST

1. Partner A creates an agreement in its system and sends an IIA CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can debugging?	you provide any details, logs, date of occurrence,	or any information that may be of help for

3. Partner B creates an agreement in its system and sends an IIA CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



#### 4. Partner A send a new IIA CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

#### 5. Partner B send a new IIA CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



#### 6. Partner B performs an IIA List to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

#### 7. Partner A performs an IIA List to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



#### 8. Partner B performs an IIA Get to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

#### 9. Partner A performs an IIA Get to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



### 10.Partner A edits an agreement in its system and sends an IIA CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

### 11.Partner B edits an agreement in its system and sends an IIA CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



#### 12.Partner A send a new IIA CNR (after edition of an IIA) to Partner B

er B: YES ⊠NO □	Partner	YES ☑ NO □	Partner A: \		Success?
on that may be of help for	or any information	logs, date of occurrence, o	ou provide any details, l	successful, can you	If the test was not sud debugging?

#### 13. Partner B send a new IIA CNR (after edition of an IIA) to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □	
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?			



#### 14. Partner A performs an IIA Get, of an edited IIA, to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

#### 15.Partner B performs an IIA Get, of an edited IIA, to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



#### 16.Partner A sends an IIA Approval CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

#### 17.Partner B sends an IIA Approval CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



### 18.Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

### 19.Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can y debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



### 20.Partner A performs an IIA Deletion, completely deletes IIA from network and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

### 21.Partner B performs an IIA Deletion, completely deletes IIA from network and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



# 22.Partner B performs an IIA Get, of a deleted IIA, to Partner A and receives an empty response.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

### 23.Partner A performs an IIA Get, of a deleted IIA, to Partner B and receives an empty response.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



# 24.Partner B removes IIA Id of Partner's A IIA from his IIA copy and send an IIA CNR to Partner A. (Or Partner B decides to hide his IIA from the network)

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

# 25.Partner A removes IIA Id of Partner's B IIA from his IIA copy and send an IIA CNR to Partner B. (Or Partner B decides to hide his IIA from the network)

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



### 26.Partner A performs an IIA Modification to an Approved IIA, creates a snapshot of the IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

### 27.Partner B performs an IIA Modification to an Approved IIA, creates a snapshot of the IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



#### 28. Partner B performs an IIA Revert and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

#### 29.Partner A performs an IIA Revert and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



### **30.Partner** A sends an IIA Approval CNR for the Modified IIA to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

### 31.Partner B sends an IIA Approval CNR for the Modified IIA to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



### 32.Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the Modified IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

# 33.Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the Modified IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



### 34.Partner A performs an IIA Termination and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

### 35.Partner B performs an IIA Termination and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can y debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



# 36.Partner A performs an IIA Termination Approval and sends an IIA Approval CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

### 37.Partner B performs an IIA Termination Approval and sends an IIA Approval CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can y debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



### 38.Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the Terminated IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

# 39.Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the Terminated IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



### 40.Partner A performs an IIA Modification to a Terminated IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

### 41.Partner B performs an IIA Modification to a Terminated IIA and sends an IIA CNR to Partner A.

	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you p debugging?	provide any details, logs, date of occurrence, o	or any information that may be of help for



### 42.Partner A performs an IIA Revert to a Modified Terminated IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

#### 43.Partner B performs an IIA Revert to a Modified Terminated IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		







www.erasmus without paper.eu