



EWP+

IIA V7.0 Test Cases

Document Title	Erasmus Without Paper Plus IIA V7.0 Test Cases
Version	Final
Status	Eligible for V7.0
Author(s)	EWP+
Partner A	AUTh (Test HEI id: uni-foundation.eu)
Partner B	University of Liège (Test HEI id: uliege.be)
Date(s) of Testing	19/02/24 to 01/03/24

Both parties confirm the testing results apply to the production environment that is used by all their universities/clients.

Partner A Signature

Partner B Signature





1. IIA APIs

1. APIs Available of Partner A

Please select which APIs and which versions you have available at the moment of the testing:

API	Available?	If yes, specify the version
IIA List	YES	7.0.0.
IIA Get	YES	7.0.0.
IIA CNR	YES	3.0.0.
IIA Approval	YES	2.0.0.
IIA Approval CNR	YES	2.0.0.





2. APIs Available of Partner B

Please select which APIs and which versions you have available at the moment of the testing:

API	Available?	If yes, specify the version
IIA List	YES	7.0.0.
IIA Get	YES	7.0.0.
IIA CNR	YES	3.0.0.
IIA Approval	YES	2.0.0.
IIA Approval CNR	YES	2.0.0.





2. IIA TEST

1. Partner A creates an agreement in its system and sends an IIA CNR to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

3. Partner B creates an agreement in its system and sends an IIA CNR to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





4. Partner A send a new IIA CNR to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

5. Partner B send a new IIA CNR to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





6. Partner B performs an IIA List to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

7. Partner A performs an IIA List to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





8. Partner B performs an IIA Get to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

9. Partner A performs an IIA Get to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





10. Partner A edits an agreement in its system and sends an IIA CNR to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

11. Partner B edits an agreement in its system and sends an IIA CNR to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





12. Partner A send a new IIA CNR (after edition of an IIA) to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

13. Partner B send a new IIA CNR (after edition of an IIA) to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





14. Partner A performs an IIA Get, of an edited IIA, to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

15. Partner B performs an IIA Get, of an edited IIA, to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





16. Partner A sends an IIA Approval CNR to Partner B

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

17. Partner B sends an IIA Approval CNR to Partner A

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





18. Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the IIA.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

19. Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the IIA.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





20. Partner A performs an IIA Deletion, completely deletes IIA from network and sends an IIA CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

21. Partner B performs an IIA Deletion, completely deletes IIA from network and sends an IIA CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





22. Partner B performs an IIA Get, of a deleted IIA, to Partner A and receives an empty response.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

23. Partner A performs an IIA Get, of a deleted IIA, to Partner B and receives an empty response.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





24. Partner B removes IIA Id of Partner's A IIA from his IIA copy and send an IIA CNR to Partner A. (Or Partner B decides to hide his IIA from the network)

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

25. Partner A removes IIA Id of Partner's B IIA from his IIA copy and send an IIA CNR to Partner B. (Or Partner B decides to hide his IIA from the network)

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





26. Partner A performs an IIA Modification to an Approved IIA, creates a snapshot of the IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

27. Partner B performs an IIA Modification to an Approved IIA, creates a snapshot of the IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





28. Partner B performs an IIA Revert and sends an IIA CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

29. Partner A performs an IIA Revert and sends an IIA CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





30. Partner A sends an IIA Approval CNR for the Modified IIA to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

31. Partner B sends an IIA Approval CNR for the Modified IIA to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





32. Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the Modified IIA.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

33. Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the Modified IIA.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





34. Partner A performs an IIA Termination and sends an IIA CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		

35. Partner B performs an IIA Termination and sends an IIA CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<p>If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?</p>		





36. Partner A performs an IIA Termination Approval and sends an IIA Approval CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

37. Partner B performs an IIA Termination Approval and sends an IIA Approval CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





38. Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the Terminated IIA.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

39. Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the Terminated IIA.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





40. Partner A performs an IIA Modification to a Terminated IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

41. Partner B performs an IIA Modification to a Terminated IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





42. Partner A performs an IIA Revert to a Modified Terminated IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

43. Partner B performs an IIA Revert to a Modified Terminated IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Partner B: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		





www.erasmuswithoutpaper.eu

