





EWP+

IIA V7.0 Test Cases

Document Title Erasmus Without Paper Plus

IIA V7.0 Test Cases

Version Final

Status Eligible for V7.0

Author(s) EWP+

Partner A AUTh (Test HEI id: uni-foundation.eu)

Partner B University of Salamanca (Test HEI id: usal.es)

Date(s) of Testing 15/02/24 to 29/02/24

Both parties confirm the testing results apply to the production environment that is used by all their universities/clients.

Partner A Signature

Partner B Signature





1. IIA APIS

1. APIs Available of Partner A

Please select which APIs and which versions you have available at the moment of the testing:

API	Available?	If yes, specify the version
IIA List	YES	7.0.0.
IIA Get	YES	7.0.0.
IIA CNR	YES	3.0.0.
IIA Approval	YES	2.0.0.
IIA Approval CNR	YES	2.0.0.



2. APIs Available of Partner B

Please select which APIs and which versions you have available at the moment of the testing:

API	Available?	If yes, specify the version
IIA List	YES	7.0.0.
IIA Get	YES	7.0.0.
IIA CNR	YES	3.0.0.
IIA Approval	YES	2.0.0.
IIA Approval CNR	YES	2.0.0.



2. IIA TEST

1. Partner A creates an agreement in its system and sends an IIA CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

3. Partner B creates an agreement in its system and sends an IIA CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



4. Partner A send a new IIA CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

5. Partner B send a new IIA CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



6. Partner B performs an IIA List to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

7. Partner A performs an IIA List to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



8. Partner B performs an IIA Get to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can y debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

9. Partner A performs an IIA Get to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



10.Partner A edits an agreement in its system and sends an IIA CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

11.Partner B edits an agreement in its system and sends an IIA CNR to Partner A

0 🗆	Partner B: YES ☑ N	YES ☑ NO □		Success?
lp for	or any information that may be of h	, logs, date of occurrence, o	accessful, can yo	If the test was not sudebugging?



12.Partner A send a new IIA CNR (after edition of an IIA) to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

13. Partner B send a new IIA CNR (after edition of an IIA) to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



14. Partner A performs an IIA Get, of an edited IIA, to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

15.Partner B performs an IIA Get, of an edited IIA, to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



16.Partner A sends an IIA Approval CNR to Partner B

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

17.Partner B sends an IIA Approval CNR to Partner A

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



18.Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

19.Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can y debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



20.Partner A performs an IIA Deletion, completely deletes IIA from network and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

21.Partner B performs an IIA Deletion, completely deletes IIA from network and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



22.Partner B performs an IIA Get, of a deleted IIA, to Partner A and receives an empty response.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

23.Partner A performs an IIA Get, of a deleted IIA, to Partner B and receives an empty response.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



24.Partner B removes IIA Id of Partner's A IIA from his IIA copy and send an IIA CNR to Partner A. (Or Partner B decides to hide his IIA from the network)

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

25.Partner A removes IIA Id of Partner's B IIA from his IIA copy and send an IIA CNR to Partner B. (Or Partner B decides to hide his IIA from the network)

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



26.Partner A performs an IIA Modification to an Approved IIA, creates a snapshot of the IIA and sends an IIA CNR to Partner B.

NO LI	Partner B: YES ☑	YES ☑ NO □	Par	tess?	Success?
help for	or any information that may be o	logs, date of occurrence, o	n you provide a		If the test wa

27.Partner B performs an IIA Modification to an Approved IIA, creates a snapshot of the IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can debugging?	you provide any details, logs, date of occurrence,	or any information that may be of help for



28. Partner B performs an IIA Revert and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

29.Partner A performs an IIA Revert and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



30.Partner A sends an IIA Approval CNR for the Modified IIA to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

31.Partner B sends an IIA Approval CNR for the Modified IIA to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



32.Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the Modified IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

33.Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the Modified IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for



34.Partner A performs an IIA Termination and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can yo debugging?	ou provide any details, logs, date of occurrence,	or any information that may be of help for

35.Partner B performs an IIA Termination and sends an IIA CNR to Partner A.

Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
provide any details, logs, date of occurrence, o	or any information that may be of help for
F	provide any details, logs, date of occurrence,



36.Partner A performs an IIA Termination Approval and sends an IIA Approval CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

37.Partner B performs an IIA Termination Approval and sends an IIA Approval CNR to Partner A.

Partner A: YES ☑ NO □	Partner B: YES ☑ NO □	
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		
F	provide any details, logs, date of occurrence, o	



38.Partner A performs an IIA Approval Request to Partner B to check if its IIA Hash is present and correct for the Terminated IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

39.Partner B performs an IIA Approval Request to Partner A to check if its IIA Hash is present and correct for the Terminated IIA.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



40.Partner A performs an IIA Modification to a Terminated IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

41.Partner B performs an IIA Modification to a Terminated IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		



42.Partner A performs an IIA Revert to a Modified Terminated IIA and sends an IIA CNR to Partner B.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		

43.Partner B performs an IIA Revert to a Modified Terminated IIA and sends an IIA CNR to Partner A.

Success?	Partner A: YES ☑ NO □	Partner B: YES ☑ NO □
If the test was not successful, can you provide any details, logs, date of occurrence, or any information that may be of help for debugging?		







www.erasmus without paper.eu